

S.No	Question	Answer Options
1	Choose the correct answer : What is the melting point of naphthalene?	100 degree C <input type="checkbox"/>
		0 degree C <input type="checkbox"/>
		32 degree C <input type="checkbox"/>
		80 degree C <input type="checkbox"/>
2	Choose the correct answer : What prevents heat transfer due to conduction and convection in vacuum flask?	Silvering The Glass Bottle <input type="checkbox"/>
		Vaccum Between Double Walled Glass Bottle <input type="checkbox"/>
		Stopper On The Bottle <input type="checkbox"/>
		None Of The Above <input type="checkbox"/>

3

Choose the correct option :
The range of a clinical
thermometer is from

_____.

35 degree C to 42 degree C

0 degree C to 35 degree C

-10 degree C to 110 degree
C

0 degree C to 110 degree C

4

Fill in the blank with the
correct word : _____
are materials that allow heat
to pass through them.

Answer

5

State whether the sentence
is true or false : Geyser is a
hot spring.

True

False

Correct Answer is

1. Correct Ans option is 80 degree C
2. Correct Ans option is Vacuum Between Double Walled Glass Bottle
3. Correct Ans option is 35 degree C to 42 degree C
4. Correct Answer is Conductors
5. Correct Ans option is True